

Galileosky 10

Powerful range of GPS tracking devices designed to enhance your solutions



Key features

- ✓ Increased memory allows you to accomplish any challenging task.
- ✓ Reading 13,400 CAN-bus characteristics using the J1939 protocol provides accurate diagnostics of vehicle status and functioning.
- ✓ The built-in eMMC reduces the risks of working with external memory sources.
- ✓ Every device is compatible with the Bluetooth Hub feature.
- ✓ Support for all cellular communication standards (2G, 3G, LTE).
- ✓ Improved reliability of interfaces.

GALILEOSKY | **TLT**

is a pioneer in the development and production of advanced GPS/GLONASS devices

1 150 000

terminals are in operation in over 100 countries globally

500+

More than 500 partners across the globe

TOP 10

Top 10 GPS/GLONASS equipment manufacturers (Wialon 2022 rating)



Algorithms



Cases

Overview of the Galileosky 10 series

Specifications

	Galileosky 10 C	Galileosky 10	Galileosky 10 Plus	Galileosky 10 Hub
Antenna type	Internal / External (as option)	Internal / External (as option)	Internal / External (as option)	External
eMMC memory	-	4 GB	4 GB	4 GB
Archive size	up to 170 000 points (flash)	up to 170 000 points (flash), up to 2 500 000 points per 1 GB (eMMC)	up to 170 000 points (flash), up to 2 500 000 points per 1 GB (eMMC)	up to 170 000 points (flash), up to 2 500 000 points per 1 GB (eMMC)
RS 485	1	1	1	1
RS 232	-	1	1	1
1-Wire	1	1	1	1
CAN	1	2	1	2
Bluetooth	5.0	5.0	5.0	5.0
Wi-Fi	-	-	-	802.11 b/g/n
Inputs	10	6	8	6
Outputs	4	4	4	4
Cellular Network	2G/LTE (2G/3G/4G)	2G/LTE (2G/3G/4G)	2G/LTE (2G/3G/4G)	2G/LTE (2G/3G/4G)
SIM	2 Nano	2 Nano	2 Nano	2 Nano
Built-in battery	600 mA/h	600 mA/h	600 mA/h	600 mA/h
Accelerometer	+	+	+	+
Autoinformers	-	+	+	+
Voice communication	-	+	+	+
Dimensions (mm)	91x66.5x25.5	91x66.5x25.5	91x66.5x25.5	99x66.5x25.5